

[Enquire now](#)

Price on application

Stock	Category	Description	Quantity on Hand
IBC17	ABC Fittings	ABC Bundle Restraint (Cat) MacLean	40
IBB65	ABC Fittings	ABC Bundle Restraint MacLean	48
IBB50	ABC Fittings	ABC Bundle restraint, 44.5mmOD non-metallic, Al Alloy Neoprene grip, RHL, MP	58
ABCS-435	ABC Fittings	ABC Suspension Clamp, 4 x35mm2, suit LVABC, A4-5023C,Maclean	654
ABCS-470	ABC Fittings	ABC Suspension clamp, 4 x70mm2, suit LVABC, A4-5023C,Maclean	374
ABCTC-5095L	ABC Fittings	ABC Termination clamp, 4 x 50-95sqmm, Large R Clip, Maclean	200
GG-P2520	Anchors	Guy Guard, PVC, 2.0m solidtube, 22mm ID, Maclean	2398
GL-S 13.75	Anchors	Guy Lock, Steel, 19/2.75SC/GZ, RH lay, w/out lashingrod, White, Maclean	300
CP28	Anchors	Part, cap for screw anchorhub, Maclean	175
CLA2375F45	Compression Fittings	Compression Lug, Aluminium,23.75mm OD, 45 deg bend onFlat palm no.5, Maclean	46
CLA3375SO5U	Compression Fittings	Compression Lug, Aluminium,33.75mm OD, Straight Offsetpalm no.5 Undrilled, Maclean	46
CLA3375SO5	Compression Fittings	Compression Lug, Aluminium,33.75mm OD, Straight Offsetpalm no.5, 4 hole, Maclean	51
CMJ-PHOSPHORUS	Compression Fittings	Compression Midspan Joint, Full tension, Phosphorus,37/3.75, AAAC, MP	59
CMJ-ORIOLE	Compression Fittings	Compression Midspan, Full Tension, 30/7/0.1059,ACSR, ORIOLE, Maclean	100
KU-3	Compression Fittings	Ku Lugs Type 3 25-35sqmm, 10mm hole, MacLean	612
LS-S 12.00	Compression Fittings	Steel Splice 7/4.00 SC/GZ 12mm Staywire	50
R5057V	Compression Fittings	Wirelink Splice for gal wire,1.4mm - 2.6mm, Maclean	300
R5057	Compression Fittings	Wirelink Splice for gal wire,1.4mm - 2.6mm, Maclean	200
R5065V	Compression Fittings	Wirelink Splice, splice to suit galwire 3.7mm -4.1mm, Maclean	200
R107	Compression Fittings	Wirelink Splice, automatic, suit Copper CU, 8.64mm - 9.78mm, Maclean	150
R5059	Compression Fittings	Wirelink Splice, for gal wire,2.3mm - 2.9mm, Maclean	1060
R5058V	Compression Fittings	Wirewise, deadend for gal wire 2.3mm - 2.9mm, Maclean	2000
R5064V	Compression Fittings	Wirewise, deadend suit galwire 3.7mm-4.2mm, without bail, Maclean	99
PGA-06185/2-NS	Conductor Fittings	PG Clamp, Al, 10.0-18.0mmmain, 3.0- 10.0mm tap, 2x M10SS Bolts, Maclean	630
PGB-35300/3-N	Conductor Fittings	PG Clamp, Bimetal, 12.5-22.0mm Al, 10.0-20.0mm Cu, 3 x M10 SS bolts, MP	144
SBT-22	Conductor Fittings	Split bolt, 16mm2, tinned,Maclean	664
ECB-1	Earthing	Earth Clamp 16-35sqmm, MacLean	70
ECP-01	Earthing	Earth Rod Clamp 16-35sqmm 26 MacLean	1240
ABCHB20-325	Fabricated Items	ABC Hook Bolt M20 x 325mm, Galv, Maclean	132
ABCHB16-250	Fabricated Items	ABC Hook bolt, M16 x 250mm, galv,to drawing, Maclean	62
ABCHB20-300	Fabricated Items	ABC Hook bolt, M20 x 300mm, galv,to drawing, Maclean	102
ASG-SH-128934	Fabricated Items	ABC Hook, service fitting, 10mm, Maclean	1000
ABCYB-12A	Fabricated Items	ABC Yoke bar 16mm, double suspension, 300mm spacing, 12kN MFL	148
PB-500-2	Fabricated Items	BRACKET, 500mm POLE BAND,Galv, 3 BOLT, Maclean	50
EA-RS-H16083	Fabricated Items	Cable Saddle, Galv steel M14mm Holes to suit 250Dia round pole, 30mm OD UG Cable	120
EA-RS-H16148	Fabricated Items	Cable Saddle, Galv steel M14mm Holes to suit 250Dia round pole, 70mm OD UG Cable	50

Price on application

Enquire now

Stock	Category	Description	Quantity on Hand
EA-RS-65854	Fabricated Items	Cable Saddle, Galv steel, Flat mount 2 x M12mm Holes, MK1 SUIT 50mm ² 25mm OD Cable	300
EA-RS-151019	Fabricated Items	Cable Saddle, Galv steel, Flat mount 2 x M12mm Holes, MK6 suit 300mm ² 66mm OD Cable	152
X-BRACE-06	Fabricated Items	Cross Arm Brace, 1050 x 50 x 6mm, Galvanised steel, 18mm holes, Maclean	210
X-BRACE-03	Fabricated Items	Cross Arm Brace, 800 x 50 x 6mm, Galvanised steel, 18mm holes, Maclean	211
EB24-500F-150	Fabricated Items	Eye Bolt, Forged, 210kN, 500mm long, M24 x 150mm, Maclean	77
EB16-150F	Fabricated Items	Eye Bolt, M16 x 150mm, Forged, 1 x M16 nut, 70kN,100mm thread, Maclean	87
EB16-200F	Fabricated Items	Eye Bolt, M16 x 200mm, Forged, 1 x M16 nut, 70kN,100mm thread, Maclean	97
EB20-290LP	Fabricated Items	Eye Bolt, M20 x 290mm, w LinkPlate, Forged, 1 x M20 nut,120kN, Maclean	120
EB20-600LP	Fabricated Items	Eye Bolt, M20 x 600mm, w LinkPlate, Forged, 1 x M20 nut,120kN, Maclean	80
ABCEN-12	Fabricated Items	Eye Nut, M12, galvanised, fortwisted service mains, Maclean	200
EA-BH-89797	Fabricated Items	Fascia, Barge Board Hook, 6mm, Galv, Maclean	50
ASG-MB-H75044	Fabricated Items	Fuse Mounting Bracket, 30 degangle, Galv steel, Maclean	150
PS16-250	Fabricated Items	Pole Step, 16 x 250mm, knockin type, Galvanised steel,Maclean	318
PS-16250-S	Fabricated Items	Pole Step, 16 x 250mm,Threaded, Screw in type,Galvanised steel, Maclean	500
ASG-ABCSB-66605	Fabricated Items	Suspension Bracket, Bundle conductor, Galv, 16 x 45mmClevis pin, Maclean	125
TH-70	Fabricated Items	Tongue Hook, 70kN, Galvanisedsteel, 18mm hole, Maclean	677
UBOLT16-460	Fabricated Items	U-Bolt, 16mm x 460mm, 4 nuts& washers, Galv Steel, Maclean	43
W24SQUARE	Fabricated Items	Washer, Flat M24 75mm x 75mm, Galvanised, Maclean	200
AR-A 11.25	Helical Fittings	Armour Rod, Alum, 11.0 -11.8mm, AAC AAAC & ACSR, Black, Maclean	132
AR-CC 09.00	Helical Fittings	Armour Rod, Copper, 8.8-9.5mm,Cu, Red, Maclean	49
AR-S 04.80	Helical Fittings	Armour Rod, Steel, 4.6- 5.0mm,SC/GZ, Black, AR-S 04.80 R3,Maclean	100
DE-CC 08.25NC	Helical Fittings	Deadend , Helixon Copper Clad for 7.9-8.8mm OD HDC, Non-Cable Looped	74
DE-A 23.75NC	Helical Fittings	Deadend Al for AAC, AAAC, 23.0-24.0mm, Blue, Non-Cable looped, RHLay, Maclean	54
DE-A 05.25	Helical Fittings	Deadend Al for AAC, AAAC, 5.1 - 5.4mm, Purple, Cable looped,RH Lay, Maclean	127
DE-A 07.50	Helical Fittings	Deadend Al for AAC, AAAC, 7.4 - 7.6mm, Blue, Cable looped, RHLay, Maclean	334
DE-FT 11.25	Helical Fittings	Deadend, ACSR, Full tension,11.2 - 11.3mm, Black, RH Lay, Maclean	46
DE-FT 08.40	Helical Fittings	Deadend, ACSR, Full tension,8.3 - 8.5mm, White, RH Lay, Maclean	98
DE-SP 11.25	Helical Fittings	Deadend, Al Clad ST, 11.2-11.3mm ACSR, Single pce, Blk, Cable looped, RH Lay, Maclean	80
DE-AC 05.93L	Helical Fittings	Deadend, Al Clad ST, 5.8 -6.5mm, SC/AC, White, Cablelooped, LH Lay, Maclean	150
DE-SP 09.00	Helical Fittings	Deadend, Al Clad ST, 8.9-9.1mm ACSR, Single pce, Red,Cable looped, RH Lay, Maclean	101
DE-OPGW-1300	Helical Fittings	Deadend, Al Clad Steel, OPGW,13.2 - 12.5mm , Cable looped,LH lay, Green, MacLean	45
DE-CCT180-11	Helical Fittings	Deadend, CCT, 24.1 - 25.7mm,11kV, Purple, Cable loop, RHLay, Maclean	37
DE-DI16	Helical Fittings	Deadend, double insulated service, to suit 16-35mm ² twisted cable, Maclean	47
DE-CC 05.10NC	Helical Fittings	Deadend, Helixon Copper Clad for 4.8-5.2mm OD HDC, Non-Cable Looped	130
DE-OPGW1220	Helical Fittings	Deadend, suit 12.0 - 12.5mm LHL OPGW, Maclean	42
IBC14	Helical Fittings	Deadend, termination, 21.2mm range, suit 14mm catenary plus 3.65 rods, Al Alloy, MP	56
ST-AC2450-76	Helical Fittings	Distribution Side Tie, Al Clad, 24.5mm-26.5mm, suit 76mm neck, rubber pad, Maclean	292
DT-AC0900-76	Helical Fittings	Distribution Tie, Al Clad for 9.0-10.0mm OD for 76mm neckInsulator	110
DT-AC1000-112	Helical Fittings	Distribution Tie, Al Clad, 9.9 - 11.2mm, 112mm neck, bluepurple, white, RHL, Maclean	49



Price on application

Enquire now

Stock	Category	Description	Quantity on Hand
DT-AC1125-76	Helical Fittings	Distribution Tie, Al Clad,11.25 - 12.6mm, 76mm neck,Yell/Black/Purple, RH lay, MP	512
DT-AC1875-76	Helical Fittings	Distribution Tie, Al Clad,18.0 - 19.0mm, 76mm neck,Blue/Black, RH lay, Maclean	50
DT-AC0525-76	Helical Fittings	Distribution Tie, Al Clad,5.2- 6.0mm, 76mm neck,Yellow/White, RH lay, Maclean	80
DT-AC0750-76	Helical Fittings	Distribution Tie, Al Clad,7.4- 7.7mm, 76mm neck, Blue,RH lay, Maclean	43
DT-CCT40-76	Helical Fittings	Distribution Tie, PVC Black,14.9 - 16.4mm, CCT, 40mm2,76mm neck, White, Maclean	42
HSC-2450-BODY	Helical Fittings	Helixon Suspension Clamp Body with rubber insert to suit 24.5-25.0mm OD	70
DHSCR2625-660	Helical Fittings	HSC Reinforcing rods, Double - to suit 26.0 - 26.5 AAC, AAAC & ACSR Conductor 2895mm L	39
DHSCR-1625	Helical Fittings	HSC Reinforcing rods, Double, Al, 15.8 - 16.4mm, RH lay,AAC AAAC ACSR, Org, Maclean	50
DHSCR-1875	Helical Fittings	HSC Reinforcing rods, Double, Al, 18.6 - 19.1mm, RH Lay,AAC AAAC ACSR, Black, Maclean	581
LG-A 26.25	Helical Fittings	Line Guard, suit 37/3.75 AAAC,25.9mm - 27.0mm, 1200mmL,black/red, Maclean	90
LS-AC 06.00L	Helical Fittings	Line Splice, Aluminium Clad,5.8 - 6.5mm, SC/AC, LH lay,White, Maclean	51
LS-A 10.20	Helical Fittings	Line Splice, Aluminium, 10.2- 10.5mm, AAC, AAAC, Purple, Maclean	37
LS-A 13.50	Helical Fittings	Line Splice, Aluminium, 13.3- 13.8mm, AAC, AAAC, Green, Maclean	39
LS-A 18.75	Helical Fittings	Line Splice, Aluminium, 18.60- 19.40mm, AAC, AAAC, Black, Maclean	50
LS-A 07.50	Helical Fittings	Line Splice, Aluminium, 7.50- 8.0mm, AAC, AAAC, Blue, Maclean	116
LS-A 14.30	Helical Fittings	Line Splice, Aluminium,13.9 -14.5mm, AAC, AAAC, Blue, Maclean	42
LS-CC 12.80	Helical Fittings	Line Splice, Copper Clad,12.6 -13.1mm, HDCu Copper, RHLay, Purple, Maclean	55
LS-CC 15.00	Helical Fittings	Line Splice, Copper Clad,15.0 -15.6mm, HDCu Copper, RHLay, Red, Maclean	44
LS-CC 18.30	Helical Fittings	Line Splice, Copper Clad,18.1-18.7mm, HDCu Copper, RHLay, Orange, Maclean	53
LS-S 04.80	Helical Fittings	Line Splice, Steel, 4.5 -4.9mm, SC/GZ, RH Lay, Black, Maclean	186
LS-S 06.00	Helical Fittings	Line Splice, Steel, 5.6 -6.1mm, SC/GZ, RH Lay, Yellow, Maclean	77
LS-S 07.50	Helical Fittings	Line Splice, Steel, 7.35 -7.85mm, SC/GZ, RH Lay, Blue, Maclean	1064
HPSCR-2450	Helical Fittings	Pivot Support Rods, 24.5-25.0mm, AAC, AAAC, ACSR,OPGW, RH Lay, Purple, Maclean	77
RR-OPGWA 1140	Helical Fittings	Reinforcing Rods, 11.4mm,OPGW, 2300mm L, Al Alloy, RHLay, Yellow, MP	67
RR-OPGW 1140S	Helical Fittings	Reinforcing Rods, 11.4mm,OPGW, 600mmL, 11.2 - 12.0mm, Al Clad, RH lay, Yellow, MP	59
DE-DI16-EPDM	Helical Fittings	Rubber insert, suit Service Dead End DI16 10-35mm2, EPDM Rubber, Maclean	50
ST-AC1125-76	Helical Fittings	Side Tie, 11.0-12.0mm, AlClad Steel, 76mm neck, Black,Maclean	40
ST-AC1750-76	Helical Fittings	Side Tie, 17.0 - 18.2mm, AlClad Steel, 76mm neck, Blue,Maclean	40
ST-AC1920-76	Helical Fittings	Side Tie, 19.0 - 20.5mm, AlClad Steel, 76mm neck, Black,Maclean	150
ST-AC2375-76	Helical Fittings	Side Tie, 22.0 - 24.0mm, AlClad Steel, 76mm neck,Green/Blue, Maclean	55
ST-CCT180-76	Helical Fittings	Side Tie, Plastic, CCT, 24.1-25.7mm, Purple, Black colour, Maclean	440
HSCR-1755	Helical Fittings	Suspension Clamp Rods, 17.6 -18.0mm, AAC, AAAC, ACSR, RHLay, Brown, Maclean	70
HSCR-1950L	Helical Fittings	Suspension Clamp Rods, 19.5 -20.2mm, AAC, AAAC, ACSR,OPGW, LH Lay, Orange, Maclean	43
HSC-1755-BODY	Helical Fittings	Suspension, body, rubber ins,17.6- 18.05mm, AAC AAAC ACSR,M16, SS pin,, Maclean	71
CCT-165	Insulators	Insulator 22kV Pin Post 12kN, 336mm Long, 534mm Creep, Grey, c/w M16X165 stud	195
C/150/7	Insulators	Insulator Pin, 7kN, Head C,M20 x 165mm, 150mm stem, Maclean	96
C/300/7	Insulators	Insulator Pin, 7kN, Head C,M24 x 165mm, 300mm stem, Maclean	122
SWANECK-15	Insulators	Insulator Pin, Swan Neck, Galv Stee lpin, 15mm Diameter, Leadhead, Maclean	300
SHLV1	Insulators	Insulator Reel, R1, 57mmOD, 54mmH, 9kN Transverse LoaMaclean	811



Price on application

Enquire now

Stock	Category	Description	Quantity on Hand
S16050037MXAL023	Insulators	Insulator, 132kV polymer, long rod, Clevis Tongue, 18mm Holes	79
UG125BSPZ	Insulators	Insulator, disc, glass, 125kN,BS, 280-146-450, Zn sleeve, 20, w clip, Dulhunty Power	40
UG160BLZ	Insulators	Insulator, disc, glass, 160kN, ball& socket, zinc, 400mm creepage, Maclean	156
UG160BSZ	Insulators	Insulator, disc, glass, 160kN,BS, 280-146-400, Zn sleeve, 20, w clip, Dulhunty Power	54
UG70TC	Insulators	Insulator, disc, glass, 70kN, tongue & clevis, 320mm creepage, Maclean	306
UG70TCPZ	Insulators	Insulator, disc, glass, 70kN,CT, 280-146-440, Zn sleeve, 16C, Dulhunty Power	162
SC27SG108-D	Insulators	Polymer drop out fuse unit 22kV 100A continuous, 8kA interrupt, Maclean	48
DS-15M	Insulators	Polymer Insulator, 15kV, 70kN, Tongue and Clevis, GalvPin, Creepage 391mm, Maclean	835
ZHP027-0C00100	Insulators	Surge Arrestor 27kV 10kA Heavy DutyPolymer, w/C bracket, Maclean	56
AS-70-B	Line hardware	Anchor shackle M16 Bolt and Nut Only, 70kN, Dulhunty Power	5000
LM73011	Line hardware	Anchor shackle, 120kN, bolt & nut, per AS1154, galv Maclean	504
AS-160-RX	Line hardware	Anchor shackle, 160kN, Charpysteel, Clevis pin, Maclean	57
AS-32-RX	Line hardware	Anchor shackle, 32kN, Charpysteel, Clevis pin, Maclean	50
AASC-100210H	Line hardware	Angle clamp, Aluminium, 10 -21mm with Hex pin, Maclean	99
BH-70-LS	Line hardware	Ball Hook 70kN Long Shank, Maclean	106
EA-MB-66522	Line hardware	Bracket, mounting, 93mm x13mm x 3mm, for 100 amp service fuses - Energy Aus	50
EA-MB-66340	Line hardware	Bracket, Mounting, Guy Connection Plate, 195 x 75mm, M24, Maclean	109
HEX-57	Line hardware	Clevis pin, hexagonal, splitpin, 57mm, galv steel, Maclean	2659
RPIN16X48B	Line hardware	Clevis Pin, M16 x 46mmwithout split pin and straps,galv, Maclean	50
RPIN16X55	Line hardware	Clevis Pin, Round (Pin only) with splitpin, 16mm x 55mmL, suit CTHI-1850	300
CTHI-1850	Line hardware	Clevis Thimble, Cast Iron,70kN round pin	596
CT-70X	Line hardware	Clevis tongue, 70kN, Charpy Steel, M16 bolt and nut with SS pin, 20mm opening, Maclean	46
CT-70	Line hardware	Clevis tongue, 70kN, Galv steel, M16 bolt and nut with SS pin, 20mm opening, Maclean	42
LP-120-500	Line Hardware	Link Plate, 120kN, Galv Steel, 550mm hole centre, Maclean	85
TET-70X	Line hardware	Twisted Eye Tongue, 70kN, 18mm hole, 16mm thick, CharpySteel, Maclean	50
4D20-31.1	Vibration Control	Vibration damper, 4D20,suit 27.0mm-31.1mm conductor, M12 Gal St Bolts, Dulhunty	200
ASC4-G	Wedge Connectors	Bail Clamp, 7.0 - 18.8mm ODw/ 1 x M10 Galv Bolt, Maclean	63
556294-1	Wedge Connectors	Connector, wedge, tap, shearbolt, main 21.742-24.206mm, tap 23.215-24.18mm, CPI	57